

| REV | DESCRIPTION | DATE | APPROVED |
|-----|---|------------|----------|
| 3 | LOWERED OUTER WHEEL FRAME | 23/10/2023 | MP |
| 2 | ADDED PIVOT TO TOW ARM | 7/6/2023 | MP |
| 1 | ROTATED MOTOR TO FRONT ADDED HYDRAULIC COMPONENTS | 6/20/2023 | MP |

REVISION HISTORY

| | | | | |
|--|------------|----------|-----------------------------|---------|
|  EVEREST EQUIPMENT CO. 1077, WESTMOUNT AYER'S CLIFF, QUEBEC PH. (819) 838-4257 FAX (819) 838-5653 | | | | |
| DRAWN BY | MPE TIT | CUSTOMER | TRAYLOR-SUNDT JOINT VENTURE | |
| DATE | 06/06/2023 | PROJECT | IPL19 TEXAS | |
| CHECKED BY | | LOCATION | TRINIDAD TX | |
| DATE | | SUBJECT | PIPE CARRIER | |
| FILENAME | | | | |
| ENGINEER | D.N. | SCALE | JOB NUMBER | DWG NO. |
| | | N.T.S. | 2022MQA | A1 |
| | | | | REV.NO. |
| | | | | 3 |

DATE _____

| QTY | PART NUMBER | DESCRIPTION | MASS(lbs) |
|-----|-------------------------|---|-----------|
| 4 | OBO005 | NYLON NUT 1-8UNC GR8 PL | .33 |
| 14 | OBO006 | SL NYLON NUT 1/2 - 13 UNC GR8 | .05 |
| 14 | OBO016 | HHCS 1/2-13 UNC X 1 1/4 LG GR8 | .12 |
| 1 | 6B2266 | ELB90 J20M O20M | 1.56 |
| 8 | 6B2270 | ELB90 J12M O10M | .58 |
| 4 | 6B2325 | HANDLE M8 X 160 MM HYS | .43 |
| 1 | 6B2327 | HANDLE M10 X 205 MM HYS | .54 |
| 6 | 6B2350 | STR J06M O10M | .18 |
| 1 | 6B2354 | TEE J12M J12M J12M | .68 |
| 3 | 6B2356 | STR J12M P20M | .64 |
| 1 | 6B2361 | ELB90 J08M O06M | .23 |
| 1 | 6B2401 | ELB90 J06M O04M | .12 |
| 4 | 9B1379 | M12-1.75 X 25 METRIC BOLT SHCS | .10 |
| 1 | 9B1815 | STR ELBOW 1 1/4 BLACK PIPE | 1.03 |
| 8 | 9BO084 | FW 3/8 (7/16 ID-1 OD) PL | .01 |
| 4 | 9BO089 | 3/8-16 UNC X2 HHCS GR8 PL | .08 |
| 8 | 9BO102 | NYLON NUT 3/8-16 UNC GR8 PL | .02 |
| 14 | 9BO115 | FL.WASH 1/2 (9/16-13/8) PL | .03 |
| 4 | 9BO116 | HHCS 3/8-16 UNC X 3.50 PL GR8 | .14 |
| 2 | 9BO411 | 2' WASHER(2.125 X 4.50) | .88 |
| 6 | 9BO413 | FL.WASH15/8(13/4-33/4)BARE | .50 |
| 1 | 2022MQA-1 | MOTOR-81412249 | 751.58 |
| 1 | 2022MQ-A1A | OPERATOR PLATFORM | 1426.63 |
| 1 | 2022MQ-A2A | TOW BEAM | 240.33 |
| 4 | 2022MQA-3 | 22TON MATJACK | *Varies* |
| 1 | 2022MQA-4 | MATJACK QUAD CONTROL VALVE | 35.36 |
| 1 | 2022MQ-A6A | LONG BEAM ATTACHMENT | 607.22 |
| 1 | 2022MQA-7 | DOUBLE FILTER S75D SIMP N24 8IN | 18.11 |
| 2 | 2022MQ-A7A | CYLINDER PIN W/COTTER | 8.39 |
| 2 | 2022MQA-8 | FLOW DIVIDER-YGEBXANUM | 19.71 |
| 1 | 2022MQA-10 | EX540000025CA | .01 |
| 2 | 2022MQA-10 -1" | HOSE12 x TO BE DETERMINE AT ASSY | 4.35 |
| 1 | 2022MQ-A10A | OIL TANK 150 USGALLONS | 441.96 |
| 1 | 2022MQ-A11A | FUEL TANK 22 GALLON (U.S.) | 110.17 |
| 1 | 2022MQ-A15A | OUTER WHEEL FRAME | 789.98 |
| 1 | 2022MQA-16 | HYDRAULIC COMPRESSOR-9018221 HK450 8-14 | 80.00 |
| 2 | 2022MQ-A16A | WHEEL STRUT | 78.11 |
| 1 | 2022MQA-17 | 3 WAY HAND SWITCH R432-10-T | 5.30 |
| 1 | 2022MQ-A17A | PIVOT ATTACHMENT | 51.06 |
| 1 | 2022MQA-18 | AIR TANK 20GALLON | 63.12 |
| 4 | 2022MQ-A18A | BLOCK OUT | 4.35 |
| 3 | 2022MQA-HOSE-3 -.75 | HOSE08 x 256.00" | 7.41 |
| 5 | 2022MQA-HOSE-4 .375 STR | HOSE06 X TO BE DETERMINE AT ASSY | .38 |
| 7 | 2022MQA-HOSE-5 -.75 | HOSE12 x TO BE DETERMINE AT ASSY | 1.65 |
| 2 | 2022MQA-HOSE-6 -.75 | HOSE12x TO BE DETERMINE AT ASSY | 1.31 |
| 1 | 2022MQA-HOSE-7 -.75 | HOSE08 x TO BE DETERMINE AT ASSY | 2.21 |
| 2 | 2022MQA-HOSE-8 .375 | HOSE06 X 256.00 | 4.48 |
| 6 | 2022MQA-HOSE-10 -.75 | HOSE12 x TO BE DETERMINE AT ASSY | 1.20 |
| 5 | 2022MQA-HOSE-11-1.25" | HOSE20 x TO BE DETERMINE AT ASSY | 10.20 |


| QTY | PART NUMBER | DESCRIPTION | MASS(lbs) |
|-----|---------------------------------|---------------------------------------|-----------|
| 3 | 2022MQA-HOSE-12-.375 | HOSE06 X 24.00 | 1.65 |
| 3 | 2022MQA-HOSE-13-.375 | HOSE06 X 24.00 | 1.13 |
| 1 | 2022MQA-HOSE-14-.50 SHORT ELBOW | HOSE08 x 24.00" | 2.70 |
| 1 | 2022MQA-HOSE-15-.50 LONG ELBOW | HOSE08 x 24.00" | 2.70 |
| 1 | 2022MQA-HOSE-16- 2" | HOSE32 x REF 60" | 7.78 |
| 1 | 2022MQA-HOSE-17- .50 | HOSE08 x TO BE DETERMINE AT ASSY | 2.69 |
| 1 | 2022MQA-PLATFORM STEERING CYL | 2022MQA-HY-SPEC 30FEM0410 | 39.00 |
| 2 | 2022MQA-STEERING CYL | CYLINDER Ø5" BORE x 10" STROKE | 160.56 |
| 1 | 2022MQ-B6A | SHORT BEAM ATTACHMENT | 192.54 |
| 2 | 2022MQ-B7A | CYLINDER PIN W/COTTER | 6.26 |
| 4 | 2022MQ-C7A | STRUT PIN W/COTTER | 3.07 |
| 1 | 2022MQ-C15A | OUTER WHEEL FRAME | 766.46 |
| 4 | 2022MQ-D3A | BALL CATCH | 1.47 |
| 4 | 2022MQ-D4A | WHEEL ATTACHMENT PIVOT | 17.10 |
| 4 | 2022MQ-D7A | TOW BEAM PIN W/COTTER | 2.09 |
| 1 | 2022MQ-E2A | TOW BEAM | 79.20 |
| 2 | 2022MQ-E4A-LH | WHEEL ASSY-LH | 334.91 |
| 2 | 2022MQ-E4A-RH | WHEEL ASSY-RH | 334.91 |
| 1 | 2022MQ-E7A | TOW BEAM PIN W/COTTER | 4.42 |
| 4 | BWN1X3-A325 | BWN1X3-A325 | 1.39 |
| 8 | BWN1X4-A325 | BWN1X4-A325 | 1.62 |
| 8 | BWN3I4X2 A325 | BWN3I4X2 A325 | .53 |
| 1 | CROSS CONNECTION 1.25 NPT FEM | CROSS CONNECTION 1.25 NPT FEM | 4.61 |
| 2 | EV6B1318 | STR J08M O10M | .19 |
| 1 | HYDG22LXB3000PSI-1/4NPT | Pressure Gauge, 1/4NPT | .15 |
| 2 | Parker 6 R6X-S | TEE J06M J06F J06M | .15 |
| 6 | Parker 6-4 F5OX-S | STR J06M O04M | .06 |
| 1 | Parker 8-12 FTX-S | STR J08M P12M | .24 |
| 2 | Parker 16 C5OX-S | ELB90 J16M O16M | .94 |
| 1 | Parker 16 S6X-S | TEE J16M J16M J16F | 1.06 |
| 1 | Parker 16-12 F5OX-S | STR J16M O12M | .44 |
| 1 | Parker 16-20 C5OX-S | ELB90 J16M O20M | 1.57 |
| 1 | Parker 16-20 FTX-S | STR J16M P20M | .64 |
| 1 | Parker 20 C6X-S | ELB90 J20M J20F | 1.65 |
| 1 | Parker 20 FTX-S | STR J20M P20M | .69 |
| 2 | Parker 20 JTX-S | TEE J20M J20M J20M | 1.67 |
| 1 | Parker 20-16 C5OX-S | ELB90 J20M O16M | 1.53 |
| 1 | Parker 20-16 F5OX-S | STR J20M O16M | .78 |
| 2 | Parker 20-16 XHX6-S | STR J20M J16F | .68 |
| 1 | Parker 32 FTX-S | STR J32M P32M | 1.81 |
| 1 | PINTLE 100000 LBS | PINTLE 100000 LBS(MCMMASTER-12675T21) | 18.00 |
| 1 | PRESSURE VALVE-B16-2-A12T | PRESSURE VALVE 12SAE | 4.49 |
| 2 | REDUCER 1.50M X 1.25F NPT | REDUCER 1.50M X 1.25F NPT | .33 |
| 1 | STR J06M BSPP O04M | STR J06M BSPP O04M | .07 |
| 2 | STR J08M BSPP O08M | STR J08M BSPP O08M | .20 |
| 1 | VALVE CARTRIDGE RAH161S30 | VALVE CARTRIDGE RAH161S30 | .91 |
| 1 | FLANGE MOTOR PUMPE 40HP | STEP AP214 | 39.52 |
| 1 | K3VLS85-1NRCS-LXX | | 107.97 |
| 1 | F43-40-40-U FLANGE CODE 61 | F43-40-40 NPT 2.5-FLANGE CODE 61 | 4.38 |
| 1 | F44-20-20-U FLANGE CODE 62 | F44-20-20-U NPT 1.25- FLANGE CODE 62 | 2.96 |
| 1 | 2027-6-6S-01 | FTX Male Connector 32 | 2.48 |
| 1 | 6B2197 | ELB 90 P20M J20M | 1.30 |
| 1 | Parker 20 JX6-S | TEE J20F J20F J20F | 2.14 |
| 1 | STRAIGHT 32 NPT FEMALE | STRAIGHT 32 NPT FEMALE | 6.05 |
| 1 | Parker 20-12 F5OX-S | STR J20M O12M | .76 |
| 1 | Parker 6 G6X-S | STR J06F P04F | .10 |
| 1 | Parker 6-20 XHX6-S | STR J06M J20F | .23 |
| 4 | Parker 12-16 F5OX-S | STR J12M O16M | .46 |
| 4 | 9BO179 | LOCK WASHER 3/4 PL | .04 |
| 4 | OBO007 | NUT 3/4-10 UNC HEX GR8 PL | .14 |



EVEREST EQUIPMENT CO.
 1077, WESTMOUNT
 AYER'S CLIFF, QUEBEC
 PH. (819) 838-4257 FAX (819) 838-5653

| | |
|--------------------|---|
| DRAWN BY MPEIIT | CUSTOMER TRAYLDR-SUNDT JOINT VENTURE |
| DATE 06/06/2023 | PROJECT IPL19 TEXAS |
| CHECKED BY | LOCATION TRINIDAD TX |
| DATE | SUBJECT PIPE CARRIER |
| FILENAME | |
| ENGINEER D.N. | SCALE N.T.S. |
| | JOB NUMBER 2022MQA |
| | DWG NO. A2 |
| | REV.NO. 3 |



DATE _____



EVEREST
EVEREST EQUIPMENT CO.
 1077, WESTMOUNT
 AYER'S CLIFF, QUEBEC
 PH. (819) 838-4257 FAX (819) 838-5653

| | | | | |
|---------------------|---|-----------------------|---------------|--------------|
| DRAWN BY MPE TIT | CUSTOMER TRAYLOR-SUNDT JOINT VENTURE | | | |
| DATE 06/06/2023 | PROJECT IPL19 TEXAS | | | |
| CHECKED BY | LOCATION TRINIDAD TX | | | |
| DATE | SUBJECT PIPE CARRIER | | | |
| FILENAME | | | | |
| ENGINEER D.N. | SCALE N.T.S. | JOB NUMBER 2022MQA | DWG NO. A3 | REV.NO. 3 |

DATE _____




EVEREST
 1077, WESTMOUNT
 AYER'S CLIFF, QUEBEC
 PH. (819) 838-4257 FAX (819) 838-5653

| | | | | |
|---------------------|---|-----------------------|---------------|--------------|
| DRAWN BY MPE TIT | CUSTOMER TRAYLOR-SUNDT JOINT VENTURE | | | |
| DATE 06/06/2023 | PROJECT IPL19 TEXAS | | | |
| CHECKED BY | LOCATION TRINIDAD TX | | | |
| DATE | SUBJECT PIPE CARRIER | | | |
| FILENAME | | | | |
| ENGINEER D.N. | SCALE N.T.S. | JOB NUMBER 2022MQA | DWG NO. A4 | REV.NO. 3 |



DATE _____

CURVE LAYOUT



CARRIER IN STRAIGHT POSITION

Ø120.00 in [Ø10.0 ft]
CARRIER WITH 40' PIPE IN TUNNEL



| | | | | |
|--|---|-----------------------|---------------|--------------|
|  EVEREST EQUIPMENT CO. 1077, WESTMOUNT AYER'S CLIFF, QUEBEC PH. (819) 838-4257 FAX (819) 838-5653 | | | | |
| DRAWN BY MPE TIT | CUSTOMER TRAYLOR-SUNDT JOINT VENTURE | | | |
| DATE 06/06/2023 | PROJECT IPL19 TEXAS | | | |
| CHECKED BY | LOCATION TRINIDAD TX | | | |
| DATE | SUBJECT PIPE CARRIER | | | |
| FILENAME | | | | |
| ENGINEER D.N. | SCALE N.T.S. | JOB NUMBER 2022MQA | DWG NO. A5 | REV.NO. 3 |

DATE _____

8

7

6

5

4

3

2

1




D

C

B

A



EVEREST EQUIPMENT CO.
 1077, WESTMOUNT
 AYER'S CLIFF, QUEBEC
 PH. (819) 838-4257 FAX (819) 838-5653

| | | | | |
|---------------------|---|-----------------------|---------------|--------------|
| DRAWN BY MPE TIT | CUSTOMER TRAYLOR-SUNDT JOINT VENTURE | | | |
| DATE 06/06/2023 | PROJECT IPL19 TEXAS | | | |
| CHECKED BY | LOCATION TRINIDAD TX | | | |
| DATE | SUBJECT PIPE CARRIER | | | |
| FILENAME | | | | |
| ENGINEER D.N. | SCALE N.T.S. | JOB NUMBER 2022MQA | DWG NO. A6 | REV.NO. 3 |

DATE _____

8

7

6

5

4

3

2

1

